

# Introduction to Artificial Intelligence

## Unit # 2

## Acknowledgement


- Slides of this lecture have been taken from the lecture slides of CS307 – “Introduction to Artificial Intelligence” by Dr. Sajjad Haider.

## Problem Solving as Search

- Problem solving is an important aspect of Artificial Intelligence.
- A problem can be considered to consist of a goal and a set of actions that can be taken to lead to the goal.
- Search can be defined as a problem solving technique that enumerates a problem space from an initial position in search of a goal position (or solution).
- At any given time, we consider the state of the search space to represent where we have reached as a result of the actions we have applied so far.

## Missionaries and Cannibals


*Three missionaries and three cannibals are on one side of a river, with a canoe. They all want to get to the other side of the river. The canoe can only hold one or two people at a time. At no time should there be more cannibals than missionaries on either side of the river, as this would probably result in the missionaries being eaten.*



## Missionaries and Cannibals (Cont'd)


- The following operators are available:
  1. Move one cannibal to the other side
  2. Move two cannibals to the other side
  3. Move one missionary to the other side
  4. Move two missionaries to the other side
  5. Move one cannibal and one missionary to the other side
- <http://www.learn4good.com/games/puzzle/boat.htm>

## Missionaries and Cannibals (Cont'd)



## Recap

- Graph
  - Nodes
  - Edges
  - Directed vs Undirected
  - Weighted Graph
- Tree



## The Towers of Hanoi

We have three pegs and a number of disks of different sizes. The aim is to move from the starting state where all the disks are on the first peg, in size order (smallest at the top) to the goal state where all the disks are on the third peg, also in size order. We are allowed to move one disk at a time, as long as there are no disks on top of it, and as long as we do not move it on top of a peg that is smaller than it.



## The Towers of Hanoi (From Wikipedia)

- The puzzle was invented by the [French mathematician Édouard Lucas](#) in [1883](#). There is a legend about an [Indian](#) temple which contains a large room with three time-worn posts in it surrounded by 64 golden disks. The priests of [Brahma](#), acting out the command of an ancient prophecy, have been moving these disks, in accordance with the rules of the puzzle. According to the legend, when the last move of the puzzle is completed, the world will end. The puzzle is therefore also known as the Tower of [Brahma](#) puzzle.
- If the legend were true, and if the priests were able to move disks at a rate of one per second, using the smallest number of moves, it would take them  $2^{64}-1$  seconds or roughly 584.542 [billion](#) years [operation taking place is  $2^{64}/60/60/24/365.25$ (to take into consideration leap years)/1000000000] .[\[1\]](#) (In context, the [universe](#) is currently about [13.7 billion years old](#).)

## The Towers of Hanoi (Cont'd)



## The Towers of Hanoi (Partial Search Tree)




Artificial Intelligence Lab, IBA

Spring 2012

11

## Frog Problem




 REINICIAR

Artificial Intelligence Lab, IBA


Spring 2012

12


# Representing Physical Space as Tree



# Traversing a Maze



## Search Trees for Game



Artificial Intelligence Lab, IBA

Spring 2012

15

## Breadth-first Search

- In breadth-first search (BFS), we search the graph from the root node in order of the distance from the root.
- Rather than digging deep down into the graph, progressing further and further from the root (as is the case with DFS), BFS checks each node nearest the root before descending to the next level.
- The implementation of BFS uses a FIFO (first-in first-out) queue.


Artificial Intelligence Lab, IBA

Spring 2012

16



## Search Order of the BFS



Artificial Intelligence Lab, IBA

Spring 2012

17

## Depth-first Search

- The Depth-first search (DFS) algorithm is a technique for searching a graph that begins at the root node, and exhaustively searches each branch to its greatest depth before backtracking to previously unexplored branches.
- The implementation of DFS uses a LIFO (last-in first-out) queue.

Artificial Intelligence Lab, IBA

Spring 2012

18

## Search Order of the DFS

